

# How to use GoToSocial

Tips on how to get started with and use GoToSocial, one of the servers which powers some of Website League's nodes

- [Getting started](#)
  - [Introduction](#)
  - [Setting up your profile](#)
  - [GoToSocial frontends](#)
  - [Posting with Phanpy](#)

# Getting started

# Introduction

Accounts on Website League have the form "@username@node.domain". username is the name of your account and node.domain is the name of your node (sometimes referred to as an instance).

Unlike most websites which you can interact with directly, the GoToSocial software *does not* include a full "frontend" website. Instead, to use GoToSocial, *you* get to choose what frontend (aka client) you'll use, which will affect how the website feels to use.

You can switch between frontends at any time, or even use multiple different ones simultaneously if you want to. All you need to do is log in and you're ready to post.

Every time you want to log in, you'll need to first enter your node's domain- that's how the frontend knows which GoToSocial node to talk to.

# Setting up your profile

To access your settings, you'll need to go to the address bar of your web browser and enter:

`node.domain/settings`

Examples: (please feel free to add more nodes here for convenience)

- <https://beam.phosphor.buzz/settings>

[The GoToSocial project's docs have much more detail about settings](#), so you should read those too. *This document's goal is to highlight the most important parts to get you going.*

The first time you go to /settings, GoToSocial will ask you to log in.

## 'Profile' settings

After you've logged in, you'll be able to configure your profile - this is where you can set your avatar and header image, bio, display name, and more.

Under the **Visibility and privacy** section, you can set the visibility level of your posts. **This affects which of your posts will be visible on your public profile to users that aren't logged in and aren't following you from another node.** The default is only show Public posts on your profile, so Unlisted posts will be hidden.

## 'Posts' settings

Two important settings here are:

- Default post privacy: This configures what privacy level new posts you write will have.
- Default post (and bio) format: If you want to use markdown in posts, change this to markdown.

'Interaction Policies' are also configurable here, they give you fine-grained control over who can interact with your posts, and in what way. If you set any interaction policies that require approvals, the 'Interaction Requests' page is where you can approve interactions. For more information [see the GoToSocial docs](#).

Getting started

# GoToSocial frontends

Here are some of your frontend options for using a GoToSocial node. This isn't an exhaustive list- many Mastodon clients are also compatible with GoToSocial.

## Phanpy

<https://phanpy.social/>

A frontend with a large number of features. [See Phanpy's readme for an introduction.](#)

## Enafore / Semaphore

<https://enafore.social/> and <https://semaphore.social/> are lightweight clients based on the Pinafore project which was retired in 2023.

[User guide](#)

## Others

[List of Mastodon clients, many of which are compatible with GoToSocial.](#)


Getting started

# Posting with Phanpy

[Phanpy](#) is one of the options for a frontend to use with GoToSocial.


To get started, open <https://phanpy.social>.

Then, click 'Log in with Mastodon'. Phanpy will ask you for your **instance domain (node domain)**. After you enter that, your browser will redirect back to your node, where you can log in.






The image displays two side-by-side screenshots of the Phanpy login interface, which has a dark theme. Both screens feature the Phanpy logo (a blue stylized face) at the top. The title 'Log in' is prominently displayed in white. Below the title, the word 'INSTANCE' is shown in a smaller, lighter font. A text input field is present on each screen. In the left screenshot, the input field contains the placeholder text 'instance domain'. In the right screenshot, the input field contains the text 'beam.phosphor.buzz'. Below the input field, a small example is provided: 'e.g. "mastodon.social"'. A button is located below the input field. In the left screenshot, the button is labeled 'Continue'. In the right screenshot, the button is labeled 'Continue with beam.phosphor.buzz'. At the bottom of each screen, there are two links: 'Don't have an account? Create one!' and 'Go home'. A language selector is also at the bottom, showing a globe icon, the word 'English', and a dropdown arrow.








After you log in, GoToSocial will ask if you really wanted to log in to Phanpy. Click 'allow'. That will send you back to Phanpy, where you'll be logged in.



Now you can write your first post. Tap this button in the bottom right corner:



Button	What it does
	<p>This button is where you configure the visibility level of the post you're about to write.</p> <p>For more information about what these levels mean, <a href="#">see GoToSocial's docs</a>.</p>

	This lets you add or remove a content warning from your post.
	This lets you attach images and other media. Phanpy also supports pasting images from your clipboard directly into your post.
	This lets you attach a poll to your post
	This lets you insert an emoji into your post. Your node may have custom emoji configured!
	This changes the language of your post, which will be displayed in some frontends.
	This circle is a tiny graph that fills up as you approach the character limit on your node. If your node's character limit is large enough, it's probably just going to look like an empty circle most of the time.
	<p>This sends the post. Note that at the time of writing (September 2024), GoToSocial <i>does not</i> support editing posts after they've been created. If you try to edit a post, the editor will pop up with a warning about that, like this:</p> 